

Source Destination Data Field Address Address 192.168.1.101 192.168.1.106 Data (00101101) Port: 1234 Port: 0060	Forwarder query for valid user / website destination	Controller response to Forwarder query	192.168.1.106 192.168.1.103 Data (00101101) Port: 0060 Port: 0080	192.168.1.103 192.168.1.106 Data (00101101) Port: 0080 Port: 0060	192.168.1.106 192.168.1.101 Data (00101101) Port: 0060 Port: 1234
(<u>></u>	(w)	6	9	=	(12)
Source AddressDestination AddressData Field Address192.168.1.101192.168.1.104www.edrtech.comPort: 1234Port: 0053	192.168.1.104 192.168.1.105 www.edrtech.com Port: 0053 Port: 1234	192.168.1.105 192.168.1.102 www.edrtech.com Port: 1234 Port: 1234	192.168.1.102	192.168.1.105 192.168.1.104 192.168.1.106 Port: 1234 Port: 0053	192.168.1.104 192.168.1.101 192.168.1.106 Port: 0053 Port: 1234
Sou Add	192.16 Port:	192.16 Port:	192.16 Port:	192.16 Port:	192.16 Port:
<u>—</u>	(2)	(m)	4	(2)	(o)

Figure 2




Figure 3




Figure 4